

Technical Information Compressed-Air Spray



presto Compressed-Air Spray remove easily, with high pressure, dust and lose dirt from places which are hard to reach.

For use on:

- · audio- and video equipment
- watches
- cameras
- keyboards

Quality and properties

- very effective
- leaves no residue
- indorous
- flammable
- strong, directional spray

Physical and chemical data

- Basis: propane/butane
- Smell: indorous
- Propellant: carbon dioxide
- Relative density at 20°C: 0.55 g/ml
- Storage stability: 10 years if appropriate storage provided (=10°-25°C, relative air humidity of max. 60%)
 - Size:
 - aerosol can, maximum nominal volume 400 ml

Environment and labelling

Environmentally compatible: European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal: Please mind the residue inside the containers. Completely emptied containers can be used for recycling. If cans are not emptied, they should be disposed off as "special refuse".

Only for DE: In order to ensure a high reuse and recycling rate, the legislator requires, in accordance with §15 - VerpackG, Paragraph 1, the return of transport, sales or outer packaging, alternatively, however, deviating agreements can also be made.

Labelling: All products of European Aerosols comply with the current status of their labelling regulations. Classification and distinction takes place by the presently legal form of the **Globally Harmonized System of Classification and Labelling of Chemicals** (GHS) or rather by CLP 1272/2008/EG regulations. Our safety data sheets comply with the current form of REACH 1907/2006/EG, article 31 und appendix II,

Using instructions

Before use, carefully read and observe the warning texts on the label!

Application:

- Bring can to room temperature.
- Operating temperature 5° to 30°C.
- Switch off electronic and electrical equipment before use so that there is no current at all.
- Spray judge on the sureface to be cleanded and spray in short burste.
- During treatment keep the can vertical.
- When the pressure falls interrupt the application, so that the pressure can build again.
- After treatment wait to all the comustible ingredients are vaporized (after 15 minutes at least)

Order informations

Disclaimer of liability

This application-technological information is given to the best of our knowledge. The notes mentioned herein are, however, non-binding and do not exempt you from own tests to see whether the products supplied by us are suitable for your special application. The use and processing is beyond our control and therefore exclusively in the responsibility of the user. European Aerosols is let off the liability, unless the liability-based incident is caused by a fault incurred to European Aerosols.

As of April 25, 2012 This release replaces all eventually earlier issued versions.

Print date: 02.05.2024

European Aerosols GmbH | Kurt-Vogelsang-Straße 6 | 74855 Haßmersheim | info-de@european-aerosols.com