

### Quality and properties

- Dirty car door rails can be cleaned easily without water
- Effective protection from rust
- Adds gloss to the treated surface
- Safeguards the electrical system current
- Economical and easy to use
- Excellent creep properties, penetrates well
- Protects against de-icing salts
- Displaces water

### Physical and chemical data

- **Basis:** hydrocarbons
- **Colour:** red
- **Smell:** nach perfume oil
- **Temperature resistant:** till 100°C
- **Density at 20°C:** 0,84 g/cm³
- **Storage stability:**  
4 years if appropriate storage provided (=10°-25°C, relative air humidity of max. 60%)
- **Size:**  
can with 1000ml content

### Environment and labelling

**Environmentally compatible:** European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal:** Please mind the residue inside the containers. Completely emptied containers can be used for recycling. If cans are not emptied, they should be disposed off as "special refuse".

*Only for DE: In order to ensure a high reuse and recycling rate, the legislator requires, in accordance with §15 - VerpackG, Paragraph 1, the return of transport, sales or outer packaging, alternatively, however, deviating agreements can also be made.*

**Labelling:** All products of European Aerosols comply with the current status of their labelling regulations. Classification and distinction takes place by the presently legal form of the **Globally Harmonized System of Classification and Labelling of Chemicals** (GHS) or rather by CLP 1272/2008/EG regulations. Our safety data sheets comply with the current form of REACH 1907/2006/EG, article 31 und appendix II,

### Using instructions

**Before use, carefully read and observe the warning texts on the label!**

#### Application:

- Engine must be completely cool before use.
- Once the engine has been thoroughly washed, spray the engine block and compartment with presto motor impregnation.
- The engine compartment can be treated when wet.
- Leave it to dry thoroughly.
- We recommend polishing door tie bars with a cloth.
- Do not spray on a running engine. Not for use during ignition. Do not spray on red-hot or warm objects (manifolds, exhaust pipes).

### Order informations

#### Disclaimer of liability

This application-technological information is given to the best of our knowledge. The notes mentioned herein are, however, non-binding and do not exempt you from own tests to see whether the products supplied by us are suitable for your special application. The use and processing is beyond our control and therefore exclusively in the responsibility of the user. European Aerosols is let off the liability, unless the liability-based incident is caused by a fault incurred to European Aerosols.

As of February 8, 2010

This release replaces all eventually earlier issued versions.

Print date: 01.05.2024

European Aerosols GmbH | Kurt-Vogelsang-Straße 6 | 74855 Haßmersheim | [info-de@european-aerosols.com](mailto:info-de@european-aerosols.com)