

Technical Information Polishing Paste



To remove spray mist and to level paint repair to old paint finish. Cleans at the same time weathered lacquer and gives a new bright shine to the lacquer. Ingredient carnauba wax grants conservation for months.

Quality and properties

- Develops a high degree of gloss
- Good grinding behaviour
- Silicone-free
- Conserves the paint finish
- Can be mixed with water

Physical and chemical data

- **Basis of the binder:** wax
- **Colour:** beige
- **Smell:** characteristic
- **Temperature resistance:** up to 100°C
- **Flash point:** >70°C
- **Density at 20°C:** 1.211 g / cm³
- **Storage stability:**
2 years if proper storage provided (=10°-25°C, relative air humidity of max. 60%)
- **Size:**
Tube with 70 ml nominal volume

Environment and labelling

Environmentally sound: European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal: Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling: All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

Application

- The surface you want to polish has to be clean and dry.
- We recommend to test the compatibility of the product at an invisible spot.
- Apply a thin coat of the presto polishing paste by means of a lint-free cloth, then smooth evenly.
- Polish to high gloss with a soft cloth or with batting after a short drying time.
- Do not work in the sun or on warm surfaces.

Order information

Disclaimer of liability

This application-technological information is given to the best of our knowledge. The notes mentioned herein are, however, non-binding and do not exempt you from own tests to see whether the products supplied by us are suitable for your special application. The use and processing is beyond our control and therefore exclusively in the responsibility of the user. European Aerosols is let off the liability, unless the liability-based incident is caused by a fault incurred to European Aerosols.

As of May 14, 2018

This release replaces all eventually earlier issued versions.

Print date: 30.04.2024

European Aerosols | Wolframweg 2 | 8471 XC Wolvega | NL | info-nl@european-aerosols.com