

Technical Information Tyre Cleaning Foam



This is a high-quality silicone-based spray for revitalising car tyre colour as well as protecting the tyres from the weather

Quality and properties

- Long-lasting silk shine and suppleness
- Protects from bleaching and embrittling
- Contains silicone
- · Makes tyres look like new
- Tyres pollute less
- · Self-acting foam removes residues of dirt
- · Does not attack rims, wheel covers and lacquer
- Targeted spray jet
- Consider TRG 300

Physical and chemical data

Basis: water and polydimethylsiloxane

Colour: white

Smell: characteristic

Relative density at 20°C: 0.999 g/ml Vapour pressure at 20°C: 3 - 4 bar

Appearance: foam pH-value: 9 - 10 Storage stability:

10 years if appropriate storage provided (=10°-25°C, relative air

humidity of max. 60%)

Size:

aerosol can, maximum nominal volume 500 ml

Environment and labelling

Environmentally sound: European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal: Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling: All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

Using instructions

Before use, carefully read and observe the warning texts on the label!

Application:

- · Bring can to room temperature.
- · Operating temperature 15 to 25°C
- The surface should be clean and dry.
- · Shake can before use.
- Avoid contact with brake parts.
- · Apply in thin, even coats to the tyre wall.
- Also applicable immediately after the car wash on wet tires.
- Not suitable for two-wheel vehicles.

Order informations

Disclaimer of liability

This application-technological information is given to the best of our knowledge. The notes mentioned herein are, however, non-binding and do not exempt you from own tests to see whether the products supplied by us are suitable for your special application. The use and processing is beyond our control and therefore exclusively in the responsibility of the user. European Aerosols is let off the liability, unless the liability-based incident is caused by a fault incurred to European Aerosols.

As of: March 12, 2014

This release replaces all eventually earlier issued versions.

Print date: 27.04.2024

European Aerosols | Wolfraamweg 2 | 8471 XC Wolvega | NL | info-nl@european-aerosols.com